


GGG

LIGHTING



2022 - 2023



ABOUT US

Our company, GGS Information Technologies, was founded in 2005. Since its establishment, we have carried out many City and Facility Security projects with our constant renewing researchers and hardworking staff for the needs of many province/district institutions in every region of Turkey. We develop new projects to keep up with technological advancements. Our company, together with 3 group companies and solution partners, provides project consultancy, exploration, technical services, assembly, engineering, and equipment production.

OUR VISION

Our goal is to provide the most suitable solutions to our business partners with human-oriented security technologies, high quality, reliable, simple, easy, and economical systems, and to provide them with the right solution and the appropriate price advantage in their field.

OUR MISSION

To be the leading technology company that provides solutions to the needs of institutions and people by contributing to developments and adding value to new technologies in the sector with reliable technologies, appropriate solutions, and optimum profits

CONTACT INFORMATION

CONTACT

GGG Information Technology Inc.

- Batı Sitesi Mah. Gersan Sanayi Sitesi,
2307/2 Sokak No:11
Yenimahalle / Ankara / TURKEY
- Tel: + 90 312 474 01 30 - 31 / Faks: +90 312 474 01 32
- project@ggsbilisim.com / sales@ggsbilisim.com
www.ggsbilisim.com

PROJECT and ESTIMATION

- project@ggsbilisim.com

SALES

- sales@ggsbilisim.com

CERTIFICATES



ISO - 9001:2015



ISO - 12368:2005



ISO - 13485:2016



ISO - 14001:2015



ISO - 18001:2007



ISO - 27001:2007



ISO - HYB



CE
CERTIFICATE OF CONFORMITY



TURKEY MINISTRY OF COMMERCE
AFTER-SALES SERVICE QUALIFICATION
CERTIFICATE

GGG - 2688

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m





GGG - 2689


AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m



GGG - 2690

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium/Steel Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m



LED



220 - 240V
50-60Hz





GGG - 2691

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m



LED



220 - 240V
50-60Hz





GGG - 2697


AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m





GG S - 2692

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m

GG S
AYDINLATMA



GGG - 2693

AVAILABLE COLORS




White, Gray, Black, Red, Gold


FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m



220 - 240V
50-60Hz





GGG - 2694

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m





GGG - 2695

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel/Aluminium Box Profile Body
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m





GGG - 2695

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » Silicone Gaskets
- » 60-90-150W Led Module
- » 3000 - 6500K
- » Height : 6 - 12m





GGG - 2696

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » 60-90-150W Led Module
- » 3000 - 6500K
- » Height : 3 - 7m



220 - 240V
50-60Hz





GGG - 2698

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » Pmma Diffuser
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m





GGG - 2699

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Tempered Glass
- » 60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 4m






GGG - 2700
AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Tempered Glass
- » 60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz



GGG - 2701

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » 40-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m





GGG - 2702

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Tempered Glass
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2703

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » Pmma Diffuser
- » 60-80-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2704

AVAILABLE COLORS



White, Gray, Black, Red, Gold


FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 60-80-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2705

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 30-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2706

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 30-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2707

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 30-60-90W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2708

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Silicone Gaskets
- » 60-90-150W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



220 - 240V
50-60Hz





GGG - 2709

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » Pmma Diffuser
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m



GGG - 2710

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m





GGS - 2711

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 2 x 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m



GGS - 2712

AVAILABLE COLORS




White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m





GGG - 2713

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m



GGG - 2714

AVAILABLE COLORS




White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m





GGS - 2715

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 1.5m



GGS - 2716

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 2 - 4m





GGG - 2717

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Aluminium Injection Armature
- » Steel Aluminium Frange
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 1 - 2m



GGG - 2718

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Body Pipe
- » Aluminium Injection Armature
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 1 - 2m





GGG - 2719

AVAILABLE COLORS



Galvanized

GENERAL POLES

They are manufactured using ST 37 or ST 51 steel material and galvanized for a long life against corrosion and decay.

They can be made in a circular or conical form, with lengths from 3 to 14 meters. They are multipurpose poles that can be used in a project for mechanical support and other functions.





GGG - 2720
AVAILABLE COLORS



Galvanized
N-TYPE POLES

The width of the TAG Pole (N-type) depends on the single-directional road's width and desired project, within a height of 3 meters and 12 meters.

Signaling Poles are used for mounting traffic signs, cameras, and lighting and can also be used in intersections, railways, pedestrian crossings, and highways.

They are manufactured using ST 37 or ST 51 steel material and galvanized for a long life against corrosion and decay.





GGG - 2721
AVAILABLE COLORS



Galvanized
M-TYPE POLES

The width depends on the double-directional road's width and desired project, within a height of 3 meters and 12 meters.

Signaling Poles are used for mounting traffic signs, cameras, and lighting and can also be used in intersections, railways, pedestrian crossings, and highways.

They are manufactured using ST 37 or ST 51 steel material and galvanized for a long life against corrosion and decay.





GGG - 2722
AVAILABLE COLORS



Galvanized
PROJECTOR POLES

Floodlight poles carry floodlights to illuminate large areas. They can be produced in various types and designs for streets, highways, airport areas, parking lots, stadiums, and other wide open areas.

GGG produces poles of various types with heights from 5m to 60m. The high masts can also have various floodlight arrangements on top. Projector pole type selection is made according to the technical requirements and conditions of the area of use.





GGS - 2723
AVAILABLE COLORS

■
Galvanized
SIGNPOST POLES

Wind lampposts use a wind turbine to power the lighting. Unlike solar poles, wind poles can generate electricity at any time, day or night, if there is a strong enough wind.

Wind turbines are placed on the poles to give the poles more functionality. These poles can be octagonal, conical, lattice and decorative depending on the customer and location needs.





GGG - 2724
AVAILABLE COLORS



Galvanized
STREETLIGHT POLES

GGG offers its customers high-quality galvanized standard polygonal street lighting poles as well as other poles for street, highway, shelter, or park lighting.

These poles can be manufactured between 5 meters and 15 meters in height. Poles higher than 12 meters are manufactured in two parts. Standard poles are designed as single or double consoles for luminaire mounting.

However, consoles can be designed for multiple luminaires up to 4 luminaires, depending on the project requirements.





GGG - 2725
AVAILABLE COLORS



Galvanized
CAMERA POLES

Camera poles are used to ensure city safety in streets and traffic. GGS produces high-quality galvanized poles in accordance with the project requirements.

Poles are produced at heights between 5 meters and 25 meters. Poles up to 12 meters are designed and manufactured in one piece.

Poles over 12 meters are produced in several pieces with sliding or flange connections. Camera Poles can be manufactured with or without a safety ladder according to customer demand.





GGG - 2726

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 0.8m



GGG - 2727

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.5 - 0.8m



GGG - 2728

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Body Pipe
- » Electrostatic Powder Coating
- » Aluminium Casting Flange & Cover
- » Pmma Diffuser
- » E27 Bulb
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 2 - 4m



GGG - 2729

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Aluminium Box Profile
- » Electrostatic Powder Coating
- » Pmma Diffuser
- » 10-15W Led Module
- » 3000 - 6500K
- » Height : 0.8 - 6m



GGG - 2730

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 0.8 - 4m



GGG - 2731

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 0.8 - 4m





GGG - 2732
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



GGG - 2733
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



GGG - 2734
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



GGG - 2735
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



GGG - 2736
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 5m



GGG - 2737
AVAILABLE COLORS
 [White] [Gray] [Black] [Red] [Gold]

White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » Silicone Gaskets
- » 60-90-150W Led Module
- » 3000 - 6500K
- » Height : 8 - 12m





GGG - 2738


AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGG - 2739

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Pmma Diffuser
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGG - 2740

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature
- » Tempered Glass
- » Silicone Gaskets
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGG - 2741

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGG - 2742

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGG - 2743

AVAILABLE COLORS



White, Gray, Black, Red, Gold

FEATURES

- » Steel Aluminium Body Pipe
- » Hot Dip Galvanized
- » Electrostatic Powder Coating
- » Aluminium Casting Armature & Base
- » Tempered Glass
- » 40-60W Led Module
- » 3000 - 6500K
- » Height : 3 - 6m



GGGS

AYDINLATMA



GGGS Plaza - Batı Sitesi Mahallesi, Gersan Sanayii Sitesi
2307 / 2 Sokak No :11
Yenimahalle / Ankara



+90 312 474 01 30



sales@ggsbilisim.com



www.ggsbilisim.com